



CHARLES D. BAKER
GOVERNOR

KARYN E. POLITO
LIEUTENANT GOVERNOR

THOMAS A. TURCO, III
SECRETARY

COLONEL CHRISTOPHER S. MASON
SUPERINTENDENT

The Commonwealth of Massachusetts

Department of State Police

Crime Laboratory

Firearms Identification Section – Maynard

124 Acton Street

Maynard, Massachusetts 01754

Telephone (978) 451-3180 Facsimile (978) 451-3181

FIREARMS IDENTIFICATION SECTION REPORT

Laboratory Case Number: 21-00320
Agency: MSP Middlesex County Detective Unit
Suspect(s): Michael P Conlon
Victim(s):

Report Date: January 11, 2021
Agency Number: 2021-110-0011
Offense Type: Fatal Shooting
Town: Newton

On January 05, 2021, Lieutenant David M. Cahill #0697 of the SP Ballistics - Maynard delivered the following to this section for examination:

- 5-1 Firearm .40 S & W caliber Glock model 22 Gen 4 semi-automatic pistol serial number BDDU708
- 5-2 Ammunition One (1) .40 S&W caliber live cartridge, head stamp "WIN 40 S&W" from chamber of item 5-1.
- 5-3 Magazine(s) One (1) magazine from item 5-1 containing seven live cartridges, head stamp "WIN 40S&W"
- 5-4 Firearm .40 S & W caliber Glock model 22 Gen 4 semi-automatic pistol serial number BDDU667
- 5-5 Ammunition One (1) .40 S&W caliber live cartridge, head stamp "WIN 40S&W" from chamber of item 5-4.
- 5-6 Magazine(s) One (1) magazine from item 5-4, containing 12 live cartridges, head stamp "WIN 40S&W"
- 5-7 Discharged Cartridge Casing(s) One (1) .40S&W caliber discharged cartridge casing, head stamp "WIN 40S&W" CSS placard #9
- 5-8 Discharged Cartridge Casing(s) One (1) .40 S&W caliber discharged cartridge casing, head stamp "WIN 40 S&W" CSS placard #10
- 5-9 Discharged Cartridge Casing(s) One (1) .40 S&W caliber discharged cartridge casing, head stamp "WIN 40 S&W" CSS placard #11
- 5-10 Discharged Cartridge Casing(s) One (1) .40 S&W caliber discharged cartridge casing, head stamp "WIN 40 S&W" CSS placard #12
- 5-11 Discharged Cartridge Casing(s) One (1) .40 S&W caliber discharged cartridge casing, head stamp "WIN 40 S&W" CSS placard #14

- 5-12 Discharged Cartridge Casing(s) One (1) .40 S&W caliber discharged cartridge casing, head stamp "WIN 40 S&W" CSS placard #3
- 5-13 Discharged Cartridge Casing(s) One (1) .40 S&W caliber discharged cartridge casing, head stamp "WIN 40 S&W" CSS placard #6
- 5-14 Discharged Cartridge Casing(s) One (1) .40 S&W caliber discharged cartridge casing, head stamp "WIN 40 S&W" CSS placard #13
- 5-15 Spent Projectile(s) One (1) copper jacket, CSS placard #7
- 5-16 Spent Projectile(s) One (1) copper jacketed lead spent projectile, CSS placard #15.
- 5-17 Spent Projectile(s) One (1) spent copper jacket.
- 5-18 Spent Projectile(s) One (1) copper jacketed lead spent projectile.
- 5-19 Discharged Cartridge Casing(s) One (1) .40 S&W caliber discharged cartridge casing, head stamp "WIN 40S&W"
- 5-20 Spent Projectile(s) One Copper jacketed lead spent projectile
- 5-21 Ammunition Eight (8) 12 Gauge caliber bean bag shot shells, three "CTS 2581 SUPER SOCK", three "ALS 1212t triton", two "FR DRAG STABILIZED BEAN BAG" and one box labeled "CTS model 2581 SUPER SOCK BEAN BAG"
- 5-22 Spent Projectile(s) One (1) lead core.
- 5-23 Ammunition One (1) 12 gauge caliber bean bag shot shell, "CTS 2581 SUPER SOCK"

On January 7, 2021 Trooper Jason Beausoleil #3914 received the following item from the Office of the Chief medical Examiner in Boston, MA.

- 8-1 Spent Projectile(s) Spent projectile fragments from OCME. Marked item 13
- 8-2 Spent Projectile(s) Spent projectile fragments from OCME. Marked item 14
- 8-3 Spent Projectile(s) Spent projectile fragments from OCME. Marked item 15
- 8-4 Spent Projectile(s) Spent projectile from OCME. Marked item 16
- 8-5 Spent Projectile(s) Spent projectile from OCME. Marked item 17
- 8-6 Spent Projectile(s) Spent projectile fragments from OCME. Marked item 18
- 8-7 Spent Projectile(s) Spent projectile fragments from OCME. Marked item 20
- 8-8 Spent Projectile(s) Spent projectile fragments from OCME. Marked item 21
- 8-9 Spent Projectile(s) Spent projectile from OCME. Marked item 22

As the result of physical and microscopic examination of the recovered evidence it is my opinion that:

A/The .40 S&W caliber discharged cartridge casings mentioned in items 5-7, 5-8, 5-9, 5-10, 5-11 and 5-19 above, were all fired by item 5-1 .40 S & W caliber Glock model 22 Gen 4 semi-automatic pistol serial number BDDU708.

B/The .40S&W caliber discharged cartridge casings mentioned in items 5-12, 5-13 and 5-14 above were all fired by item 5-4 .40 S & W caliber Glock model 22 Gen 4 semi-automatic pistol serial number BDDU667.

C/The spent copper jackets and copper jacketed lead spent projectiles mentioned in items 5-15, 5-16, 5-17, 5-20, 8-4 and 8-5 above were all fired by item 5-1 .40 S & W caliber Glock model 22 Gen 4 semi-automatic pistol serial number BDDU708.


D/The copper jacketed lead spent projectile mentioned in item 5-18 above was fired by item 5-4 .40 S & W caliber Glock model 22 Gen 4 semi-automatic pistol serial number BDDU667.

E/The copper/lead fragments mentioned in items 5-22, 8-1, 8-2, 8-3, 8-6, 8-8 and 8-9 bear no microscopic markings of value.

F/The nine (9) 12 gauge caliber shot shells mentioned in items 5-21 and 5-13 above appear to be live 12 gauge caliber Bean Bag shot shells.

No further examination will be conducted unless requested.

This report reflects the test results, conclusions, interpretations, and/or the findings of the analyst as indicated by the signature below. Reported results relate only to the items tested, sampled, certified, calibrated, or data processed.



Detective Lieutenant David M. Cahill
Massachusetts State Police
Firearms Identification Section
david.cahill@MassMail.State.MA.US

This report was electronically signed using password protected software.

Any barrel or overall length measurement stated in this report, as applied to Mass General Law Chapter 140 Section 121, has an associated estimated uncertainty at a 95.45% coverage probability, which can be provided upon request.

Report to: Trooper Mark F. Delaney #3779
MSP Middlesex County Detective Unit