



The Commonwealth of Massachusetts
Department of State Police

DEVAL L. PATRICK
GOVERNOR

ANDREA J. CABRAL
SECRETARY

COLONEL TIMOTHY P. ALBEN
SUPERINTENDENT

Firearms Identification Section – Maynard

124 Acoten Street

Maynard, Massachusetts 01754

Telephone (978) 451-3480 Facsimile (978) 451-3481

FIREARMS IDENTIFICATION SECTION REPORT

Case Number.	13-13201	Date:	September 10, 2013
Agency:	MSP Middlesex County Detective Unit	Agency Case Number:	2013-110-0224
Defendant or Suspect:	Andrew Stigliano	Case Type:	Police Shooting
Victim(s)	Christopher Alberini	Date of Incident:	7/2/2013

On July 02, 2013, Sgt. D. M. Cahill #0697 of the SP Ballistics – Maynard responded to 13 Metropolitan Ave in the Town of Ashland in regards to a Fatal Shooting Investigation the following evidence was recovered and returned to this section for examination:

- 2-1 Firearm .40 S & W caliber Glock model 22 semi-automatic pistol serial number GET381
- 2-2 Ammunition One (1) .40 S&W Caliber live cartridge from chamber of item 2-1. Head stamped "SPEER 40 S&W"
- 2-3 Magazine(s) One (1) magazine loaded with twelve (12) .40 S&W caliber live cartridges from item 2-1, head stamped "SPEER 40 S&W".
- 2-4 Discharged Cartridge Casing(s) One (1) .40 S&W caliber discharged cartridge casing head stamped "SPEER 40 S&W". Photo as CSSS #9
- 2-5 Discharged Cartridge Casing(s) One (1) .40 S&W caliber discharged cartridge casing head stamped "SPEER 40 S&W". Photo as CSSS #10
- 2-6 Spent Projectile(s) One (1) copper jacketed lead spent projectile, recovered on mantle in living room.
- 2-7 Spent Projectile(s) One (1) copper jacketed lead spent projectile, recovered on mantle in living room
- 8-1 Spent Projectile(s) One (1) copper jacketed lead spent projectile recovered at the OCME in Boston on 07-03-2013 #10 on ME's Evidence submission
- 8-2 Spent Projectile(s) One (1) copper jacketed lead spent projectile recovered at the OCME in


Boston on 07-03-2013 #11 on ME's evidence submission.

As the result of physical and microscopic examination of the recovered evidence against the test specimens it is my opinion that:

A/The two .40 S&W caliber discharged cartridge casings mentioned in items 2-4 and 2-5 were both fired by item 2-1 .40 S&W caliber Glock model 22 semi-automatic pistol, serial number GET381.

B/The two copper jacketed lead spent projectiles mentioned in item 8-1 and 8-2 above have the same class characteristics as the tests from item 2-1 .40 S&W caliber Glock model 22 semi-automatic pistol, serial number GET381 and some similar individual markings, but due to insufficient correlation of individual markings, my findings are inconclusive.

C/The copper jacketed lead spent projectiles mentioned in items 2-6 and 2-7 were not fired by item 2-1 40 S&W caliber Glock model 22 semi-automatic pistol, serial number GET381



Lieutenant David M. Cahill
Massachusetts State Police
Firearms Identification Section
david.cahill@pol.state.ma.us

This report reflects the test results, conclusions, interpretations and/or the findings of the analyst as indicated by the signature above.

cc: Trooper Jeffrey Saunders #2924
MSP Middlesex County Detective Unit



The Commonwealth of Massachusetts
Department of State Police

DEVAL L. PATRICK
GOVERNOR

ANDREA J. CABRAL
SECRETARY

COLONEL TIMOTHY P. ALBEN
SUPERINTENDENT

Firearms Identification Section - Maynard

124 Acorn Street

Maynard, Massachusetts 01754

Telephone (978) 451-3480 Facsimile (978) 451-3481

CERTIFICATE OF EXAMINATION AND TEST FIRING

Case Number: 13-13201	Date: September 10, 2013
Agency: MSP Middlesex County Detective Unit	Agency Case Number: 2013-110-0224
Defendant(s): Andrew Stigliano	Victim(s): Christopher Albermi

[Signature]

P. O.

On July 02, 2013, Sgt. D. M. Cahill #0697 of the SP Ballistics - Maynard delivered the following to this section for examination:

2-8 Shotgun 16 gauge caliber Ithaca model 37 deerslayer pump action shotgun Serial Number NONE

Barrel Length: 26inches **Test Fire:** Yes **Malfunctions:** None

It is my opinion that the evidence submitted is a **SHOTGUN** within the meaning of and as defined in Massachusetts General Law Chapter 140 Section 121.

Remarks: Test fired using one live shot shell from item 2-10.

2-9 Ammunition One (1) 16 gauge caliber live shot shell recovered from chamber of item 2-8.

Test Fire: No

It is my opinion that the evidence submitted is **AMMUNITION** within the meaning of and as defined in Massachusetts General Law Chapter 140 Section 121.

2-10 Ammunition Four (4) 16 gauge caliber live shot shells from item 2-8 tubular magazine.

Test Fire: Yes


It is my opinion that the evidence submitted is **AMMUNITION** within the meaning of and as defined in Massachusetts General Law Chapter 140 Section 121.

2-11 Ammunition Eight (8) 16 gauge caliber live shot shells from side saddle shell holder of item 2-8.

Test Fire: No

It is my opinion that the evidence submitted is **AMMUNITION** within the meaning of and as defined in Massachusetts General Law Chapter 140 Section 121.

I, **David M. Cahill**, a Massachusetts State Police Officer assigned to the Firearms Identification Section do hereby swear and affirm that I have been qualified as a Ballistics Expert in the District/Superior Courts of the Commonwealth as an expert witness in the area of Firearms Identification in compliance with Massachusetts General Law Chapter 140 section 121A for the issuance of this certificate.


Lieutenant David M. Cahill
Massachusetts State Police
Firearms Identification Section
david.cahill@pol.state.ma.us

This report reflects the test results, conclusions, interpretations and/or the findings of the analyst as indicated by the signature above.

Report to: Trooper Jeffrey Saunders #2924
MSP Middlesex County Detective Unit


COMMONWEALTH OF MASSACHUSETTS

David M. Cahill, whom I know to be a qualified Ballistics Expert of the Massachusetts State Police Firearms Identification Section, appeared before me and affirmed the above to be the results made on Laboratory Number 13-13201.

Sworn and subscribed to before me this 10th day of September 2013.



DAVID J. SUGH:
Notary Public
Commonwealth of Massachusetts
My Commission Expires
August 15, 2014


Notary Public

My commission expires: _____



The Commonwealth of Massachusetts
Department of State Police

DEVAL L. PATRICK
 GOVERNOR

ANDREA J. CABRAL
 SECRETARY

COLONEL TIMOTHY P. ALBEN
 SUPERINTENDENT

Firearms Identification Section -- Maynard

124 Acton Street

Maynard, Massachusetts 01754

Telephone (978) 451-3480 Facsimile (978) 451-3481

CERTIFICATE OF EXAMINATION AND TEST FIRING

Case Number: 13-13201	Date: September 10, 2013
Agency: MSP Middlesex County Detective Unit	Agency Case Number: 2013-110-0224
Defendant(s): Andrew Stigliano	Victim(s): Christopher Alberini

On July 02, 2013, Sgt. D. M. Cahill #0697 of the SP Ballistics - Maynard delivered the following to this section for examination:

2-8 Shotgun 16 gauge caliber Ithaca model 37 deerslayer pump action shotgun Serial Number NONE

Barrel Length: 26inches **Test Fire:** Yes **Malfunctions:** None

It is my opinion that the evidence submitted is a **SHOTGUN** within the meaning of and as defined in Massachusetts General Law Chapter 140 Section 121.

Remarks: Test fired using one live shot shell from item 2-10.

2-9 Ammunition One (1) 16 gauge caliber live shot shell recovered from chamber of item 2-8.

Test Fire: No

It is my opinion that the evidence submitted is **AMMUNITION** within the meaning of and as defined in Massachusetts General Law Chapter 140 Section 121.

2-10 Ammunition Four (4) 16 gauge caliber live shot shells from item 2-8 tubular magazine.

Test Fire: Yes


It is my opinion that the evidence submitted is **AMMUNITION** within the meaning of and as defined in Massachusetts General Law Chapter 140 Section 121.

2-11 Ammunition Eight (8) 16 gauge caliber live shot shells from side saddle shell holder of item 2-8.

Test Fire: No

It is my opinion that the evidence submitted is **AMMUNITION** within the meaning of and as defined in Massachusetts General Law Chapter 140 Section 121.

I, **David M. Cahill**, a Massachusetts State Police Officer assigned to the Firearms Identification Section do hereby swear and affirm that I have been qualified as a Ballistics Expert in the District/Superior Courts of the Commonwealth as an expert witness in the area of Firearms Identification in compliance with Massachusetts General Law Chapter 140 section 121A for the issuance of this certificate.



Lieutenant David M. Cahill
Massachusetts State Police
Firearms Identification Section
david.cahill@pol.state.ma.us

This report reflects the test results, conclusions, interpretations and/or the findings of the analyst as indicated by the signature above.


Report to: Trooper Jeffrey Saunders #2924
MSP Middlesex County Detective Unit

COMMONWEALTH OF MASSACHUSETTS

David M. Cahill, whom I know to be a qualified Ballistics Expert of the Massachusetts State Police Firearms Identification Section, appeared before me and affirmed the above to be the results made on Laboratory Number 13-13201.

Sworn and subscribed to before me this 10th day of September 2013.





Notary Public

My commission expires: _____